IB 2024-25: PROCUREMENT OF VARIOUS FURNITURE, FIXTURE AND LABORATORY EQUIPMENT FOR COLLEGE OF MEDICINE

SECTION VI – SCHEDULE OF REQUIREMENTS



The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

ltem Number	Description	Quantity	Delivered, weeks/ Months
1	ERGONOMIC SWIVEL OFFICE CHAIR - Ergonomic swivel office chair with elastic breathable mesh back rest; gas lift height adjustment; with curved arm rails; seat height: atleast 15'' from the floor ,base: metal with five or more pedestal for better stability; with freely moving durable castors, with seat pads; color; black; load capacity: 200kg	3	30 Calendar Days upon receipt of PO/NTP
2	FOLDABLE CHAIR - Material:A3 galvanized steel+ PP origin safety plastic; Packaging size atleast L48cm x W15cm x H106cm; WEIGHT: atleast 4kg; Stable Triangular structure durable and foldable with multi-functional tablet, pencil and cup slot; chair bottom metal rack ; rust resistant with anti-skid foot; color: black; at least 150kg load capacity.	32	30 Calendar Days upon receipt of PO/NTP
3	LECTURE ARM CHAIR -Material: A3 galvanized steel+ PP origin safety plastic; Packing size: atleast L48cm x W15cm x H106cm; WEIGHT: 4kg; Stable Triangular Structure durable and foldable with multi-functional table, pencil and cup slot; chair bottom metal rack ; must have stable hardware accessories and enhanced load bearing and resistant with anti-skid foot; anti-slip mat to prevent the chair from slipping reduce noise; color: black; at least 150kg load capacity	60	30 Calendar Days upon receipt of PO/NTP
4	CHAIR W/ BACKREST, FOOTRING AND WHEELS- Fire retardant PU injected foam seat and back adjustable gas lift with huge range from seat;height 510mm- 690mm.; adjustable step foot ring to reach your foot rest comfortably position; Backrest: self- skinned polyurethane with integral lumbar support; Seat: self-skinned polyurethane with water fall- front; Mechanism: height lifting mechanism; Leg Base: 5 star metal chrome finished , Leg Base ring metal chrome ring with adjustable height function;	100	30 Calendar Days upon receipt of PO/NTP

	wheel: dual-wheel polyurethane casters		
5	HYDRAULIC HEIGHT ADJUSTABLE SWIVEL CHAIR LABORATORY STOOL WITH ANTI-STATIC POLYURETHANE SEAT - Fire retardant PU injected foam seat and back adjustable gas lift with huge range from seat; height: 510mm-690mm; adjustable step foot ring ; Backrest; self-skinned polyurethane with integral lumbar support; Seat: self-skinned polyurethane with water fall-front; Mechanism: height lifting mechanism: Leg Base: 5 star metal chrome finished , Leg base ring metal chrome ring with adjustable height function; wheel: dual-wheel polyurethane casters.	100	30 Calendar Days upon receipt of PO/NTP
6	STUDENT PERSONAL LOCKER - 24 compartments; 6 layers, 4 locker per layer; opening depth: 17"; opening height: 12"; opening width: 11.5; legs; 3"; overall dimension atleast: 81" (H) x 48" (W) x 18" (D), material: stainless; gauge: 8, equivalent decimal: .1650; color: grey; with lock and key	10	30 Calendar Days upon receipt of PO/NTP
7	STUDENT APARATUS LOCKER - 18 compartments; 6 layers, 3 locker per layer; opening depth: 17"; opening height: 12"; opening width: 11.5; legs; 3"; overall dimension atleast: 75" (H) x 40" (W) x 18" (D), material: stainless; gauge: 8, equivalent decimal: .1650; color: grey; with lock and key	10	30 Calendar Days upon receipt of PO/NTP
8	LCD PROJECTOR STAND/CABINET - two layered LCD stand/rack; 16mm solid phenolic resin tray; with metal steel adjustable support; with 2 cable hook; with 4 wheel caster, 2 front caster with lock	6	30 Calendar Days upon receipt of PO/NTP
9	LABORATORY GOWN-COAT RACK/CABINET/HANGER - dimension atleast: 1.20 x 1.90 x 0.45 m with 7 compartments each unit; 19mm plyboard with 304 stainless hanger rod	5	30 Calendar Days upon receipt of PO/NTP
10	MODERN CONTEMPORARY CONFERENCE/ MEETING TABLE - size: 0.80cm x 240cm x 80cm; 16mm thick; solid phenolic top ; apron and leg support: powder	1	30 Calendar Days upon receipt of PO/NTP

	coated steel with adjustable rubber glides		
11	DISSECTIONTABLE - Standard size; all 304 stainless steel construction; recessed, non-removable top; built in tapered slope;includes drain hole PVC drain valve; duty 5" casters with(3) total locks and (1) directional lock; (4) post sockets included; weight capacity: atleast 150kgs. Dimension: L: 74inches x W: 24 inches x H: 36 inches	8	30 Calendar Days upon receipt of PO/NTP
12	MODULAR LABORATORY TABLE - size: at least 2000mm x 500mm x 900 mm Worktop made up of 16 mm solid resin phenolic worktop. Color: black/grey. Frame: all steel C-frame made of at least 60x40x1.5mm cold-rolled steel bar with epoxy powder coating, with self-closing hinge and drawer rail, steel bended handle.Height adjustable rubber foot. Socket box: steel box with 3 seat multi- functional sockets. Polyurethane Lab Stool with air pressure and height adjusting steel base	6	30 Calendar Days upon receipt of PO/NTP
	xxxxxxxxxxxx		

Name of Bidder over Printed Name

Date