



Republic of the Philippines
Benguet State University

2601 La Trinidad, Benguet
 www.bsu.edu.ph

Telefax No. (074) 661-1839; Email: procurement@bsu.edu.ph

REQUEST FOR QUOTATION (RFQ)
(ALL ENTRIES ARE MANDATORY)

Name of Owner/ Corporation/ Cooperative/

Agency: _____

Name of Business : _____

Address: _____

Email address: _____ Telephone No. _____

QUOTATION NO. 1351

DATE: OCT 07 2024

P.R. NO: 2024-08-1281

ABC: Php 191,600.00

FUND SOURCE: SP

The Benguet State University through its Bids and Awards Committee will undertake **NP-SVP** for the item/s listed below under the following terms and conditions:

- All entries must be written legibly and accurately.
- Delivery period is within 15 calendar days.
- Warranty period shall be for a minimum of three months, in case of expendable supplies, and a minimum of one year in case of non- expendable supplies from date of acceptance by the University.
- Price validity shall be for a period of 30 calendar days.
- Compliance with specifications: Kindly specify in the column provided below whether the offer fully complies with the specifications or a counter offer.
- Deadline of submission of quotation is on or before 5:00 pm of Oct. 21, 2024 Offers may be submitted in sealed or open quotation in person, or through facsimile (074-661-1839) or email (procurement@bsu.edu.ph)
- The item/s shall be procured by: / a) line item; _____ b) lot; _____ c) sub-lot
- Business Permit Number : _____, date of issue: _____, place of issue: _____, (If renewal of Business Permit is still on process, please indicate OR No: _____, date of OR : _____ for the payment of renewal).
- * PhilGEPS Registration Number: _____

SAMUEL S. POLIDEN
 Chairperson, BAC (Goods & Services)

College/Dept./Office **CNS-Biology Department Room. 301**

Item No.	Qty	Unit	Item	Technical Specifications (Brand and Model)		ABC	Unit Cost	Total Cost
				COMPLY	COUNTER OFFER			
1	1	Unit	Analytical electronic balance Maximum capacity at least 500g Readability of 0.001g Pan size: at least 80mm Display must be LCD at least white bright backlit with dimensions of at least 120mm x 60mm Units supported: mg, g, oz, ct, lb Power requirements: 220-240V Fully calibrated with certificate of calibration, with 1 year warranty on parts and services			₱49,000.00		

2	1	Unit	<p>Ultrasonic Cleaner with adjustable frequency Capacity: 3L Ultrasonic Frequency: 45 KHz Time range: 1 - 99 min Heating Temp.: RT - 80 degree celcius Ultrasonic Power: 200 (W) Heating Power: 200 (W) Tank size: 240*135*100 L/W/H (mm) External Size: 350*260*330 L*W*H (mm) Gross Weight: 4Kg</p> <p>Should include: *Standard basket and lid *Time and temperature real-time display *Fully microprocessor controller and programmable *Digital display, easy operation for time and temperature</p>			P32,000.00		
3	1	Unit	<p>Multi Channel pipette: 8 Channels; Volume range, 50-300ul; Increment, 5ul; Test Volume (ul), 300, 150, 50; Light weight, ergonomic, digital display clearly reads volume setting, easy to calibrate and maintain, autoclavable, universal pipette tips compatible</p>			P23,000.00		
4	1	Unit	<p>Single-channel adjustable micropipette Volume range: 0.5-10ul, with warranty, preferably BRAND@ to match with the previously procured micropipette stand</p>			P20,300.00		
5	1	Unit	<p>Single-channel adjustable micropipette Volume range: 5-50ul, with warranty, preferably BRAND@ to match with the previously procured micropipette stand</p>			P20,300.00		
6	1	Unit	<p>Microscope with C-mount Camera and High Definition Monitor Sensor: Aptina MT9P031 Sensor Size: 1/2.5 inch (10mm) Pixel Size: 2.2µm Preview Resolution: 1920 x 1080 Still Capture Resolution: 2592 x 1944 Video Capture Resolution: 1920 x 1080 Video Framerate: 15fps SD Card, 15fps USB, 15fps HDMI! Recording Media: SD Card (4G) Exposure Time: 1/1000 - 10s Exposure Modes: Automatic, Manual Settings: Gain, Gamma, Saturation, Contrast White Balance: Automatic Interfaces: USB 2.0, HDMI Built-in Software: Cloud v1.0 Software: ISCapture Compatible Operating Systems: Win XP/7/8 (32/64bit) Optical Port: Standard C-mount (aluminum) Power Supply: DC 12V 2A Operational Temperatures: 0 - 60°C Storage Temperature: -20 - 70°C Humidity: 45% - 85%</p>			P47,000.00		
			XXXXXXXXXX			P191,600.00		

RFR 1351

Counter offers:

Delivery Period: _____

Warranty: _____

Price Validity: _____

We hereby submit our quotations, accept the general conditions for the above items and be bound by our offer.

Signature over Printed Name

Date and Time of Receipt of RFQ

* *Not a ground for disqualification for failure to indicate but required as a condition for award.*

Revised: 9/19/2022

RFQ 1351