

Republic of the Philippines Benguet State University



2601 La Trinidad, Benguet

www.bsu.edu.ph
Telefax No. (074) 661-1839; Email:procurement@bsu.edu.ph

REQUEST FOR QUOTATION (RFQ)

Name of Owner/ Corporation/ Cooperative/ Agency:			QUOTATION NO.2025-1300
Name of Business :			DATE: September 15,2025
Address:			P.R. NO.: 2025-04-528; 04-670; 04-693; 04-735; 04- 684; 04-665; 04-601; 04-630; 04-672; 04-547; 04- 566; 04-541; 03-443; 02-312;04-576; 04-643; 04-749
Email addres:	Telephone No		ABC: Php. 1,119,288.00
1. Delivery period is with 2. The item/s shall be pro		b) lot:	FUND SOURCE: IGI c) sub-lot

College/Dept./Office: Various Office

Item	Qty	Unit	Item	Technical Sp (Brand and		ABC	Unit	Total Cost
No.	Qty	Oint	item	COMPLY	COUNTER OFFER		Cost	Total Gost
1	24	unit	Computer Chair - with ergonomic, 360° self-rotation, seat height adjustment, maximum load- bearing, capacity weight:150kg, color: black, adjustable headrest, breathable latex cushion			150,288.00		
2	1	unit	Computer Chair - with ergonomic, 360° self-rotation, seat height adjustment, maximum loadbearing, capacity weight: 150kg, color: black, adjustable headrest, breathable latex cushion			7,000.00		
3	1	unit	Computer Chair - with ergonomic, 360° self-rotation, seat height adjustment, maximum load-bearing, capacity weight:150kg, color: black, adjustable headrest, breathable latex cushion			6,000.00		
4	2	unit	Computer Chair - with ergonomic, 360° self-rotation, seat height adjustment, maximum load-bearing, 150kg, color: black, adjustable headrest, breathable latex cushion			12,600.00		

5	10	unit	Executive Chair - with armrest, adjustable gaslift, polyurethane finish back and seat, powder-coated PVC starbase with castor wheels, thick cushion, 360° swivel function, tilt lock mechanism, maximum weight capacity: 100 kg. 6 months warranty on parts, dimension: arm to arm: 660 mm, total depth from wall: 648 mm, lowest height: 1200 mm, highest height: 1270 mm, seat width: 530mm, seat depth: 540 mm, backrest width: 500mm, backrest height from seat: 750 mm, floor to seat (Minimum Height): 475mm, base width (Diameter): 706 mm, base (Center to End): 417 mm, Base (Center to Castor): 330 mm, base (Center to ent of base): 353 mm	80,000.00	
6	1	unit	Executive Chair - 360° swivel, pneumatic height adjustment, leather, color: black	5,500.00	
7	2	unit	Executive Chair - 360° swivel, pneumatic height adjustment, leather, color: black	20,000.00	
8	2	unit	Swivel Chair - base type: chromed steel, base size: 350mm, base capacity: 200 kgs, gas lift type: 120D, caster type: PP, mechanism: tilt lock mechanism, mechanism thickness: 2.8mm, chair seating capacity: 125 kgs, features: multi posistion tilt lock function, pneumatic height adjustment, 360° swivel function, classification: heavy duty, usage: office use	20,000.00	
9	28	unit	Foldable Chair - Material: A3, galvanized steel + PP origin safety plastic, packaging size atleast L: 20" x W:22" x H:32", Weight: 4kg, stable triangular structure and foldable with multi-functional tablet, pencil and cup slot: chair bottom metal rack: rust resistant with anti-skid foot, color: black, at least 150kg capacity	168,000.00	
10	15	unit	Monoblock Chair - two-toned armrest chair, color: burgundy, dimension atleast: H:91cm x W:55 cm x L: 45 cm, seat height: 44cm, material: polypropylene	12,750.00	

		1	12	Γ	 	Г
11	100	unit	Monoblock Chair - color: beige, without armrest, dimension atleast: seat width: 375mm, seat depth: 330 mm, front legs distance: 355 mm, side legs distance left: 378, side legs distance right: 378 mm, back legs distance: 210 mm, back rest height: 779 mm, seat back height: 405 mm, material: polypropyrene		40,000.00	
12	20	unit	Monoblock Chair - color: green,without arm rerst, minimum dimension atleast: seat width: 375mm; seat deapth: 330mm; front legs distance: 355mm; side legs distance: 378 mm; back legs distance: 210mm, material: polypropyrene		14,000.00	
13	1	unit	Paper Shredder - 16L bin capacity, micro-cut, shred capacity: 16 sheets, can shred CD/DVD, card, paper clip, staple wire		20,000.00	
14	1	unit	Paper Shredder - shreds up to 25 sheets (70 gsm), shred size: 4mm x 30mm, duty cycle: 15-20 mins, also shreds credit cards, CDs/DVDs, staple wires and paper clips, shredder width opening: 270mm, bin capacity: 60 liters, security level: ≤55 decibels		30,000.00	
15	8	unit	Filing Cabinet - lateral, 4 drawers, gauge 21, finish: powder coat, with central lock & key, material: pure steel, dimension atleast: 45cm W x 90cm L x 133 cm H		152,000.00	
16	1	unit	Filing Cabinet - vertical, steel with central lock, plastic handle with label slot, anti-tipping mechanism only allows drawer to open at a time, material/description: powdered coated metal, gauge 21, plastic roller for railing, dimensions (L x W x H): overall: 45.6 x 62 x 133.1 cm		12,000.00	
17	2	unit	Filing Cabinet - lateral, 4 drawer, material: pure steel, gauge: 20mm, color: grey, finish: wood stain, with central lock & key, dimension atleast: 90 cm wide x 45 cm deep x 132 cm high		30,000.00	
18	2	unit	Filing Cabinet -vertical, 4 drawers, material: steel, dimension atleast: H133 cm x W47 cm x D67 cm, can fit long folder, smooth railings, with divider, centralized lock, color: off-white, assembled and ready to use, gauge: 21, finish: powder coat		24,000.00	

	1	1	1	 1	1
19	1	unit	Filing Cabinet - lateral, 4 drawers, gauge 21, finish: powder white coat, with central lock & key, material: pure steel, dimension atleast: 90cm W x 45cm D x 133cm H	13,000.00	
20	2	unit	Filing Cabinet - lateral, 4 drawers, gauge 21, finish: powder white coat, with central lock & key, material: pure steel, dimension atleast: 90cm W x 45cm D x 133cm H	37,400.00	
21	2	unit	Laminating Machine - heavy duty A3 laminator 4 rollers, wide feeding slot for easier use, number or rollers: 4, no noise-no sound operation, pre-heating time 4-5 minutes, laminating entry with 13", max. width 330 mm max thickness 1mm, reverse/foorward function, reverse/forward function, no overheating-with temperature guard, no short-circuit-designed with protection, speed: 480mm/min	14,000.00	
22	1	unit	Laminating Machine - can laminate all sizes of paper, maximum binding length: 300mm, power supply: 220V	15,000.00	
23	1	unit	Laminating Machine - thermal, 250 microns maximum laminating flm thickness, up to A3 size, 4 heat resisting silicone rollers, steel case, hot and cold laminating, atleast 13" laminating height	4,600.00	
24	1	unit	Laminating Machine - thermal, 250 microns maximum laminating flm thickness, up to A3 size, 4 heat resisting silicone rollers, steel case, hot and cold laminating, atleast 13" laminating height	5,200.00	
25	1	unit	Paper Cutter - sliding, metal base, up to A3 size, 12" cut lenght	3,900.00	
26	5	unit	Centerfold Table - 6 ft, plastic panel, steel frame, color: black, material: high density polythylene	25,000.00	
27	3	unit	Centerfold Table - 6 ft. plastic panel, steel frame, color: dark gray, material: high density polythylene	15,000.00	

28 5		Folding Table		
	unit	- size (L:1222mm, W:609mm, H:736mm), color: white, material: high density polyethylene	18,000.0	00
29 2	unit	Mobile Pedestal Drawer - color: dark brown, dimension at least: 19.5" x 16.5" x 24", 3 drawers, 3 layers w/ caster wheel	8,000.0	00
30 2	unit	Sofa Set (Ready Made) - 1pc 3-seater + 2 pcs 1-seater; Material: Metal frame, PU Leather, Multilayer boards, Color: Back, Dimension: 3-Seater Overall Size: 183 L x 71 W x 78 H CM, Single Seat Overall Size: 71 L x 71 W x 78 H CM,	32,050.0	00
31 1	unit	Teachers Table (Ready Made) - Dimension: 1.4M: W1400 x D600 x H760mm, Material: MDF, Color: White + Brown	90,000.0	00
32 1	unit	Wooden Office Chair (Ready Made) - wood chair designed for office use, with upholstery and cushion, Dimension: L-50cm x W-545cm x H-84 cm)	30,000.0	00
33 1	unit	Brochure Display Rack/Stand (Ready Made) - minimum specifications: 4-5 layers, minimum measurements (H:48", L:12"), wooden	2,000.0	0
34 1	unit	Brochure Display Rack/Stand (Ready Made) - minimum specifications: 4-5 layers, minimum measurements (H:48", L:7"), wooden	2,000.0	00
		GRAND TOTAL:	1,119,288.0	
		xxxxxxxxxx		
Cou	unter offers	: Delivery Period: Warranty: Price Validity:		
We hereby	y submit ou	r quotations, accept the general conditions for Signature over Printed Name		offer. Time of Receipt of RFQ

Revised: 9/19/2022

 $f{*}$ Not a ground for disqualification for failure to indicate but required as a condition for award.



Republic of the Philippines Benguet State University La Tripidad 2601, Benguet Province

La Trinidad, 2601, Benguet Province Tel/Fax No. (074) 661-1839



Bids and Awards Committee

INVITATION TO SUBMIT QUOTATION

The Benguet State University (BSU), through the Bids and Awards Committee (BAC), will undertake a Negotiated Procurement- Two Failed Biddings for the Project:

Request for Quotation (RFQ) Number	Project	Approved Budget	Source of Fund
2025-1300	Procurement of Various Semi- expendable Office Equipment	Php. 1, 119,288.00	G

REQUIREMENTS:

A. LEGAL DOCUMENTS

- 1. Valid PhilGEPS Registration Platinum Membership (all pages) kindly attached updated permits/licenses;
- 2. Notarized Omnibus Sworn Statement

B. FINANCIAL DOCUMENTS

- 1. Computation of Net Financial Contracting Capacity (NFCC); or Committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation;
- 2. Request for Quotations-Indicate brand & model of the offer (if applicable);
- 3. Detailed Descriptions/ Brochures of the items- Optional (Highly encouraged);
- 4. Other supporting documents (e.g. accreditations, exclusive distributorship and others)

SCHEDULE:

A. Issuance of Request of Quotation:

Interested bidders can get a copy of the Quotation documents starting **September 16,2025** during office hours at the Procurement Management Office (PMO), 1st Floor, Administration Building, Benguet State University, La Trinidad, Benguet or may be downloaded from the PhilGeps.gov.ph.

B. Deadline for Submission and Opening of Quotations

Submission of Quotations along with eligibility and technical documents is on or before **September 23**, **2025** at **8:30 AM** at the Procurement Management Office (PMO), 1st Floor, Administration Building, Benguet State University (BSU), La Trinidad, Benguet. Submission may be submitted manually, or through email at procurement@bsu.edu.ph.

The **Opening of Quotations** will be on **September 23,2025** at **9:00 AM** at the, RDC Hall, 2nd Floor, Administration Building, Benguet State University (BSU), La Trinidad, Benguet.

TERMS AND CONDITIONS:

- a) Bidders shall provide correct and accurate information required in the Price Quotation Form:
- b) Price Quotation must be valid for a period of Thirty (30) calendar days from the date of submission;
- c) Award of contract shall be made to the quotation which complies with the technical specification/ requirement and other terms and conditions stated in the price quotation form:
- d) Quotations exceeding the Approved Budget for the Contract shall be rejected;
- e) The items shall be delivered within thirty (30) calendar days from receipt of notice to proceed.
- f) Liquidated damages equivalent to one tenth of one percent (1/10 of 1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. BSU shall rescind the contract once the cumulative amount of the contract exceeded ten percent (10%) of the total contract price, without prejudice to other courses of action and remedies open to it.

For further information or clarification, please refer to: BAC Secretariat
Procurement Management Office (PMO)
1st Floor Administration Building,
Benguet State University,
La Trinidad, Benguet
Email: procurement@bsu.edu.ph

Tel. Fax/No. 661-1839/ CP No. 09506032749

SGD Josel M. Florentin

Chairperson
Bids and Awards Committee
(Goods & Services)