Republic of the Philippines
Benguet State University
2601 La Trinidad, Benguet
www.bsu.edu.ph
Telefax No. (074) 661-1839; Email:procurement@bsu.edu.ph

BAGONG PILIPINAS

REQUEST FOR QUOTATION (RFQ)

Name of Owner/ Corporation/ Cooperative/ Agency:_____
Name of Business :_____
Address:_____
Email addres: _____**Telephone No.** _____

QUOTATION NO.: 1956
DATE: OCT 26 2026
P.R. NO. : 2026-09-IGF-726
ABC: Php.: 1,000,000
FUND SOURCE:IGF-Lab Fee(FHE Def)

The Benguet State University through its Bids and Awards Committee will undertake ***Small Value Procurement*** *for the item/s listed below under the following terms and conditions:*

1. All entries must be written legibly and accurately.
2. Delivery period is within 30 calendar days.
3. Warranty period shall be for a minimum of three months, in case of expendable supplies, and a minimum of one year in case of non- expendable supplies from date of acceptance by the University.
4. Price validity shall be for a period of 45 calendar days.
5. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
6. Compliance with specifications: Kindly specify in the column provided below whether the offer fully complies with the specifications or a counter offer.
7. In case two or more bidders are determined to have submitted the Lowest Calculated and Responsive Quotation, the Benguet State University shall adopt and employ "draw lots" as the tie-breaking method to finally determine the winning bidder in accordance with GPPB Resolution No. 04-2026.
8. The Benguet State University may cancel or terminate the contract at any time under any of the grounds provided under RA No. 12009.
9. Deadline of submission of quotation is on or before 5:00 pm of Nov. 3 2026 **Offers shall be submitted in sealed or open quotation in person to the Procurement Management Office, or through facsimile (074-661-1839) or email (procurement@bsu.edu.ph)**
10. The item/s shall be procured by: **a) line item;** ✓ **b) lot;** _____ **c) sub-lot;** _____
11. **Documentary requirements to be submitted with this RFQ:**

a. ☐Mayor's Permit / Business Permit
b. ☐Latest Income / Business Tax Return **(if the total ABC is above Php 500,000.00)**
c. ☐Duly Notarized Omnibus Sworn Statement under RA 12009 **(shall the bidder opt to submit quotations for multiple lots with a combined Approved Budget for the Contract (ABC) exceeding Php.50,000.00, or for a single lot with an ABC exceeding Php.50,000.00, the submission of the Omnibus Sworn Statement (OSS) shall be required)**
d. ☐PhilGEPS Registration Certificate / PhilGEPS Registration No.:_____
e. ☐Certificate of Exclusivity, patents, trade secrets, or copyrights (for Direct Contracting)
f. ☐Professional license (for Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services)

JOSEL M. FLORENTIN
Chairperson, BAC (Goods & Services)

College/Dept./Office: CHAS

Item No.	Qty	Unit	Item	Technical Specifications (Brand and Model)		ABC	Unit Cost	Total Cost
				COMPLY	COUNTER OFFER			
1	1	unit	**Van de Graaff High Voltage,** features a 25 cm diameter sphere that can generate at least 400,000 volts. With large (at least 25 cm) dome for easy visibility, sparks of up to 35 cm in length. Tall lucite column keeps sphere far above the base, allowing a large voltage generation, and is thick-walled to withstand years of use. Variable speed motor to adjust charge buildup. Belt is easy to replace (with at least one extra belt included) Inclusion: at least 1x Van de Graaff Generator, High Voltage at least 1x Installed belt at least 1x Replacement belt Warranty: at least 1 year			292,000.00		

2	4	unit	**Pulley Force Table** Measure angles quickly and accurately with the built-in scale, Screw-in legs snap under the table for easy storage, draw vectors directly onto the laminated tabletop, change a mass by one gram or an angle by one degree to see an immediate change in the equilibrium position, with ultra-low friction pulleys and the swivel function reduce friction and parallax for optimal accuracy Includes: at least 1x 25 cm diameter table with detachable legs at least 3x Adjustable Super Pulleys with clamps at least 1x Spool of thread Warranty: at least 1 year			208,000		
3	4	unit	**Mini Projectile Launcher** Features: Versatile Stand: Offers several different mounting configurations that are ideal for tabletop projectile experiments Scale and Plumb Bob: Measures from at least −45° to +90° Three Launch Ranges: at least 1.3 m, 1.9 m and 3.2 m at 45° Magnetic Piston: Holds ball in place while launching from downward angles Steel Balls: at least 1.6 cm diameter Easily mounted using a rod and clamp Inclusion: at least 1x Launcher Base at least 1x Loading Rod at least 1x 2-D Collision Accessory at least 2x Steel Ball Projectile, 16 mm at least 1x Polycarbonate Safety Glasses at least 1x Manual at least 1x Mini Launcher Warranty: at least 1 year			147,812.		
4	1	unit	**Wireless Motion Sensor** Features: Measures position, velocity, and acceleration False Target Rejection Technology produces cleaner data with Rod clamp for mounting at least 180° pivoting head Rechargeable lithium-ion battery Warranty: at least 1 year			40,608.00		
5	1	unit	**Piping system** Inclusion: at least 1x General Flow Sensor at least 1x Venturi Tube at least 1x PASPORT Dual Pressure Sensor at least 10x Pressure Taps Warranty: at least 1 year			220,822.00		
6	1	unit	**Wave Driver** with Frequency Response of at least 0.1 to 5000 Hz, Driving Signal Required Requires a function generator with a minimum of 8 V at 0.5 A, Maximum Current of at least 1.2 Amps AC, Accessory post inside diameter of at least 4 mm, Accessory post threaded hole of at least 6-32, Fuse of at least 1 Amp, Type Voice coil Warranty: at least 1 year			36,344.00		

RFQ 1956

2 of 3

7	1	unit	**Mass and Hanget Set** Inclusion: at least 4x Mass hanger (5.0 g) at least 3x 100 g mass (brass) at least 3x 50 g mass (brass) at least 6x 20 g mass (brass) at least 3x 10 g mass (aluminum) at least 3x 5.0 g mass (aluminum) at least 3x 2.0 g mass (plastic) at least 3x 1.0 g mass (plastic) at least 3x 0.5 g mass (plastic) at least 1x Storage Case at least Hanger Mass 5 g ±2% at least Larger Masses 100 g, 50 g, 20 g, 10 g, and 5 g all ±1% at least Smaller Masses 2 g, 1 g, and 0.5 g all ±2% Warranty: at least 1 year			29,237.00		
8	1	unit	**Wireless Temperature Sensor with Display** Auto shut off:at least 1 hour Approximate Mass:at least 42 g Range: at least -40 to 125ºC Resolution:at least 0.01ºC Accuracy:at least ±0.5ºC Maximum Sample Rate :at least 10 Hz Splash resistant:at least IPX4 Probe Material: Corrosion Resistant 316 Stainless Steel Diameter:at least 0.19 in (5.0 mm) Length:at least 4.7 in (120 mm) Response Time 5.1s to reach 63% of value in response to step change in temperature. Connectivity: at least Bluetooth 5.2 Battery Type: Rechargeable Li ion Warranty: at least 1 year			25,177.00		
			*****Nothing Follows***** TOTAL :			1,000,000.00		

Note: kindly indicate unit price per item.

Counter offers:

Delivery Period: _____

Warranty: _____

Price Validity: _____

We hereby submit our quotations, accept the general conditions for the above items and be bound by our offer.

_____
Signature over Printed Name

_____
Date and Time of Receipt of RFQ

Revised: September 2026

393 RFQ 195