



Republic of the Philippines
Benguet State University
 2601 La Trinidad, Benguet
 www.bsu.edu.ph
 Telefax No. (074) 661-1839; Email:procurement@bsu.edu.ph



REQUEST FOR QUOTATION (RFQ)
(ALL ENTRIES ARE MANDATORY)

Name of Owner/ Corporation/ Cooperative/ Agency: _____ QUOTATION NO. _____
 Name of Business : _____ DATE: FEB 24 2026 392
 Address: _____ P.R. NO. :
 91,95,136,149,159,165,207,221,225,272,281,284,294,315,340,355,381,
 402,413,430,464,465,471,477,479,481,482,483,484,488,489
 Email address: _____ Telephone No. _____ ABC: Php.403,121.14
 FUND SOURCE: GAA

The Benguet State University through its Bids and Awards Committee will undertake SUP
 for the item/s listed below under the following terms and conditions:

- All entries must be written legibly and accurately.
- Delivery period is within 15 calendar days.
- Warranty period shall be for a minimum of three months, in case of expendable supplies, and a minimum of one year in case of non-expendable supplies from date of acceptance by the University.
- Price validity shall be for a period of 30 calendar days.
- Compliance with specifications: Kindly specify in the column provided below whether the offer fully complies with the specifications or a counter offer.
- Deadline of submission of quotation is on or before 5:00 pm of March 6, 2026 Offers may be submitted in sealed or open quotation in person, or through facsimile (074-661-1839) or email (procurement@bsu.edu.ph)
- The item/s shall be procured by: / a) line item; _____ b) lot; _____ c) sub-lot
- Business Permit Number : _____, date of issue: _____, place of issue: _____, (If renewal of Business Permit is still on process, please indicate OR No: _____, date of OR : _____ for the payment of renewal).
- * PhilGEPS Registration Number: _____

JOSEL M. FLORENTIN
 Chairperson, BAC (Goods & Services)

College/Dept./Office: Accounting,ATBI/IC,CA,CHET,CN,CNAS,CRAC,CTE,GAD
 Office,GSO,HRMO,ICT,IRO,NPRCRTC,OES,OP,OQAA,ORS,OUBS,OVPAA-Ads,OVPRE,PMO,REPO,UHS-Medical,UPAO

Item No.	Qty	Unit	Item	Technical Specifications (Brand and Model)		ABC	Unit Cost	Total Cost
				COMPLY	COUNTER OFFER			
			Supply and Delivery of Electronic Supplies					
1	2	pc	Battery charger , 12 slot charger smart lcd display battery charger, 1.2v, AA,AAA NI-CD rechargeable battery with power supply, 220V			3,600.00		
2	1	pc	Battery Charger , AA/AAA NiMH batteries , 2-4 batteries at a time, overcharge protection, LED indicator,USB or AC adapter, 220volts. Brand must be in the market atleast 10 years.			400.58		
3	1	pc	Battery Charger , for rechargeable batteries, 8 slots, 1.2V AA/AAA Battery charger, with charging indicator. Input:200V, DC 1.2 V 300ma*8, Input: 5V USB			1,000.00		
4	1	unit	Bluetooth Speaker: Bluetooth 5.0 or higher Sound Pressure level 10-25 RMS Battery life 15-20 mins hrs of playtime Water-resistant, with charger			3,500.00		

5	9	pc	Emergency Light , portable solar power rechargeable, 220volts, 20 watts			49,162.50		
6	2	pc	Emergency light ; rechargeable; twin bulb; 2x3W High Power LED; 12V 9.0Ah sealed lead acid; less than 48 hours charging time; performance time: 8 hours for 2 bulbs (at full charge), 14 hours for 1 bulb at full charge			7,000.00		
7	1	pc	Exhaust fan , 10", anti-vibration mounting, reduces noise, light weight, weather resistant casing, 220V/60 Hz			1,815.00		
8	11	unit	Extension cord , 10 meters, 3 gang welding outlet Royal cord 2.0mm/#14, 15 ampere			22,495.00		
9	2	pc	Extension Cord , 10 meters, 4 universal outlets, 3.5mm ²			3,000.00		
10	5	unit	Extension cord , 10-20 meters, wheel type, 4-6 sockets, built in circuit breaker, 3.5mm ²			15,000.00		
11	1	pc	Extension Cord , 3 meters, universal, 3 Gang with individual Switch and LED On Indicator, 250V, 3.5mm ²			1,500.00		
12	2	pc	Extension Cord , 5 meters, 6 universal slots, 2500W, 5.5mm ²			1,836.16		
13	1	pc	Extension Cord , 5 meters, universal outlet, 4 socket, 3.5mm ²			1,571.79		
14	5	pc	Extension cord , 6m, Heavy Duty, 4-Gang (15A/3750W), 3.5mm ²			11,000.00		
15	1	unit	Extension cord , Industrial Extension Wheel, 25 Meter Cord Length with 2-Gang T-slot Heavy Duty Outlets, Thermal Activation Breaker, Flame Retardant, 3.5mm ²			5,200.00		
16	5	pc	Extension cord , universal outlet, 4-gang with switch, 3.5mm ²			2,350.00		
17	2	pc	Extension cord , wheel type, 10 meters, 220V, 10A, 3.5mm ²			2,600.00		
18	1	pc	Extension cord , wheel type, 10meters, 3-5 universal outlet,220V, 3.5mm ²			2,700.00		
19	2	pc	Extension cord , wheel type, 15 Meter Cord Length 2,500W 10A 250V~ (6pks/ctn), rigid brass strips for internal connection, outlets are made of copper material for better grip, Impact resistant and highly conductive, with REAL grounding system connection for safety, with built-In Circuit Breaker, with built-in lightning protector, Outlet enclosures are made up of fire-retardant materials, 3.5mm ²			4,000.00		
20	5	unit	Extension cord , wheel type, 15 meters, 250W, 10V,250V,3.5mm ²			12,362.50		
21	1	pc	Extension cord , wheel type, 3 gang universal outlet, 15 meters, wattage: 2500W, Voltage: 250V, Current: 10A			3,500.00		
22	2	unit	Extension cord , wheel type, 4-6 sockets, 10-20 meters, built in circuit breaker, 3.5mm ²			5,896.00		
23	2	unit	Extension cord , wheel type, 4-6 sockets, 10-20 meters, built in circuit breaker, 3.5mm ²			5,895.66		

RFA 392

24	8	pc	Extension cord: Wheel type, 15 meters cord length, 3-gang universal outlet, Maximum wattage: 2500W, Current: 10A, Voltage: 250V, universal heavy duty outlets, with overheating protection botton, Color: Orange			17,600.00		
25	1	pc	Led Electronic Digital Calendar Mute Wall Clock , large and clear display digits, with remote, 300cm wire, wall hang, black frame and white colored digits (Prodcut Dimension:L =20, W=7.5, H=2 inches), 12/24 hours format, display of temperature, day of week,and date, display visicle inday/night operation, built-in battery back up			3,000.00		
26	4	pc	LED folding metal desk lamp with clip dimmable table light,Double Head, 24W			9,972.40		
27	1	unit	Microphone , wireless, with reciever (dual UHF:frequency range: 600-710mhz, 200 selectable frequencies, each receiver have 100UHF frequencies can be selected, dual antenna true diversity receiving system, 1U space rack mountable, bif LCD display for easy viewing, Balance XLR and unbalance audio output, soft touch button control, easy to sync frequencies and operate the transmitter display battery status.			11,000.00		
28	1	unit	Portable Sound System , outdoor and indoor, up to 200W, with bluetooth connectivity, up to 100hours of wireless playtime, fast with charging indicator, IPX4 weather resistant, 2-high quality wireless microphone included.			19,047.82		
29	2	pc	Portable Sound System , portable trolly speaker, 2-way active speaker, 500W max., 4ohms, USB/SD/BT/TWS/FM; Guitar anmd wired mic input, rechargeable battery, 2 wireless microphone, LED lights, remote cpntrol; 15"			30,000.00		
30	1	unit	Portable Speaker with two wireless microphones (frequency response: 65Hz – 15kHz, signal-to-noise (S/N) ratio: >60dBA) with a distance between transmitter and receiver up to 10m and can last up to 10 hours), padded shoulder strap for convenient carrying and moving and built-in battery Output Power: 100 watts RMS – 240V – 50/60Hz (Root mean square watts for continuous power handling of a speaker or a subwoofer or how much continuous power an amplifier can output) Rechargeable Battery Life: at least can last up to 6 hrs of use (Battery type: Lithium-ion 18Wh (7.2V @ 2500mAh) Dimensions: 60 x 36.7 x 31.2 cm, <7.5 kg. Audio Quality: with crisp high, mids and heavy bass - with bass boost sound and advanced settings (tune the bass, treble and echo) to fine-tune vocals Available Ports: Dual Mic Inputs, 3.5mm audio cable input, charging port with charging cable, USB-port, (USB-9dBFS), Auxiliary Input, and guitar input Resistance: Dust and splash proof Connection: TWS (True Wireless Stereo) Bluetooth (Bluetooth transmitter frequency range: 2.4 – 2.48GHz), USB, and AUX Transducer: 5.25in woofers (bass) and 2 x 1.75in tweeters (treble) Frequency response: 50Hz – 20KHz (-6 dB) Signal-to-noise ratio: >80dBA			22,400.00		

31	1	set	Portable/Trolley Speaker with two wireless microphone. USB/SD card input, Bluetooth Function, Amicrophone Input, with Two Wireless microphone, 7 AH Battery, FM stereo Radio, Recording Function, with remote control, with disco LED light w/ on/off awitch, speaker drive: 15" woofer (magnet tweeter), 750W max, Sensitivity:93 db+ 3 db, Freq. Response: 40Hz-20KHz, Impedance:4 Ohms, Box Size:489x428x753mm, N.W.: 15.7 kf, G.W. L 17.2 Kg.,220 volts			12,707.50		
32	2	set	Rechargeable Batteries , AA (Nickel-Metal Hydride), 2000-2500mAh (AA), 500-1000 recharge cycles			640.16		
33	4	pc	Rechargeable Batteries , AA (Nickel-Metal Hydride), 2000-2500mAh (AA), 500-1000 recharge cycles (compatible with item 9) Brand must be in the market atleast 10 years.			1,283.20		
34	4	pc	Rechargeable Battery , AA, 2pcs/pack			2,720.00		
35	8	set	Rechargeable battery , AA, heavy duty, 4pcs/set			4,800.00		
36	2	pc	Smart Tower Fan 43" Net Weight: 3.6Kg remote, 3 wind modes (normal, natural, sleep), 90degrees oscillation, 1-12hr timer, <45dB noise, 30W power, and an ionizer, with specs like 407 m3/h airflow and 2.2 m/s velocity			10,720.00		
37	3	pc	Electric Stand Fan , 18" metal blade; 3-speed rotary switch; easy height adjustment; round & stable plastic base; high-performance motor; with thermal use protection			7,500.00		
38	3	unit	Tower Fan , 220-230V/60 HZ, 40W			15,000.00		
39	5	pc	Tower Fan , 3 variable speed settings, 3 winf options, normal, natural, sleeping			25,142.00		
40	3	unit	Tower fan , 5 meters wind range, 60 degrees oscillation, 23,000m/hr ultra high velocity, 16" Louver height, 3 speed settings, 40W, 24-hour operation, 23" vertical height, with one year supplier warranty, 220V, 60Hz (office equipment)			16,500.00		
41	2	pc	Tower Fans , 5 meters wind range, 60 degress oscillation, 2300m/hr ultra high velocity, 16" Louver Height, 3 speed settings, 40W, 24-hour operation, 23" vertical Height, with one year supplier warranty, 220V, 60Hz			5,270.74		
42	2	unit	Tower Fans , 5 meters wind range, 60 degress oscillation, 2300m/hr ultra high velocity, 16" Louver Height, 3 speed settings, 40W, 24-hour operation, 23" vertical Height, with one year supplier warranty, 220V, 60Hz			4,800.00		

PFA 392

43	1	unit	Tower Fans , 5 meters wind range, 60 degrees oscillation, 2300m/hr ultra high velocity, 16" Louver Height, 3 speed settings, 40W, 24-hour operation, 23" vertical Height, with one year supplier warranty, 220V, 60Hz			2,395.80		
44	4	pc	Universal Socket Adapter			180.00		
45	5	pc	Universal socket adapter plug outlet			333.50		
46	1	unit	Wireless Lapel With Minimum Specifications: Audio Sensitivity 130 Decibels 32-Bit Float Recording, Timecode Sync, Noise Cancellation IPX5 Water Resistance, 984' Range, 130dB SPL With Rechargeable Batteries and charger Compatible with Laptop, PC, Smartphone, & Cameras Powerful Clip-On Transmitters with built-in Omnidirectional Microphone With Dust Bag With Standard Warranty			12,722.83		

			TOTAL			403,121.14		

Counter offers:

Delivery Period: _____

Warranty: _____

Price Validity: _____

We hereby submit our quotations, accept the general conditions for the above items and be bound by our offer.

Signature over Printed Name

Date and Time of Receipt of RFQ

* Not a ground for disqualification for failure to indicate but required as a condition for award.

Revised: 9/19/2022

RFQ 392